



www.sanitanaprofessional.com



Sanitana

# Flow+

## L4-E + LF-C

























S60234...0  
S60234...1














L4-E	A		LF-C	B	
	min	m x.		min	m x.
1600	1520	1620	700	685	710
1700	1621	1720	800	785	810
1800	1721	1820	900	885	910
1900	1821	1920			
2000	1921	2020			

# L4-E

<p>MLC1M/LRC1M</p> 	<p>MLCAM/MRCAM</p> 	<p>MTS003200 MTP091006 x6</p>  <p>MTS002900 x6</p> 		<p>MTS024200 2 3 4 MTS006100</p> 			
		<p>MTP067200</p> 	<p>MTP091300</p> 	<p>MTP084900 x2</p> 	<p>MTP07910 x2 MK408440</p> 		
<p>MTP09190</p>  <p>MTP08700</p>  <p>MTP086803</p> 			<p>MM031200254 x2</p> 				
<p>MTZ05530</p> 	<p>MTS017400</p> 	<p>MTZ05520</p> 	<p>MTS017400</p> 	<p>MK409350 x4</p> 	<p>MTP071700 x2</p>  <p>MTP08710</p> 		
<p>MM03060</p> 	<p>MM01900</p> 	<p>MM03050</p> 	<p>MU0750010 x4</p> 	<p>MU0567010 x2</p> 	<p>MU0735010 x4</p> 	<p>MU0737010</p> 	<p>MU0724010</p> 
<p>MU0563010 x2</p> 	<p>MTP08430 x2</p> 	<p>MK4093303 x2</p>  <p>MTP088203</p>  <p>MK409340</p>  <p>MK4093703 x4</p> 		<p>MM03020</p> 			

# LF-C


<p>MABKM</p> 	<p>MTS001300</p> 	<p>MTP087203</p>  <p>MTS001000</p> 		
<p>MU0735010</p>  <p>x4</p>		<p>MP0318010</p> 	<p>MP0320010</p> 	<p>MM03070</p> 
<p>MM0304R</p> 		<p>MK409340</p> 	<p>MTP08670</p>  <p>MTS001000</p> 	









7




8




9




10



11




12







13




14




15




16



17




18







19




20




21




22



23




24







25




26




27




28



29




30







31




32




33




34



35




36







37




38




39




40



41




42







43




44




45




46



47




48







49




50




51




52



53




54







55




56




57




58



59




60






61

MK408440




62

MK408440




63

MM01900



64


OPTIONAL



MTP08430


65

MU0737010



66


MU0750010






67

MU0750010




68




69

MU0563010  
MU0750010  
MU0567010




70




71

MU0563010  
MU0750010  
MU0567010




72







73




74




75




76



77




78







79



80



81



82



**Sanitana**

[www.sanitana.pt](http://www.sanitana.pt) |

Fábrica de Sanitários de Anadia, S.A.  
Apartado 45  
3781-909 Anadia (Portugal)  
TEL. (+351) 231 51 95 00  
FAX. (+351) 231 51 10 24

[www.facebook.com/sanitana](http://www.facebook.com/sanitana) |



[assistencia.sanitana@sanitana.pt](mailto:assistencia.sanitana@sanitana.pt)